



Pan/Tilt Al Home Security Wi-Fi Camera

Model: Tapo C225

Secure. Smart. Easy.



Physical Privacy Mode



Smart Al Detection and Notification



Smart Motion Tracking



Starlight Sensor









// Highlight

Physical Privacy Mode

Maintain privacy with the lens blocked by the housing when physical privacy mode is enabled.

Smart AI Detection and Notification

Smart Al identifies people, pets, and vehicles while also recognizing abnormal sounds, notifying users as needed.



Features



850nm or 940nm Night Vision

Switch to the 940nm IR LED to watch over your baby without interrupting their sleep



Smart Motion Tracking

Tracks and follows a subject, keeping it within the camera's field of view



Field of View

360° horizontal range



Privacy Zone

Block customizable zones from being recorded



Activity Zone

Notifies you when activity is detected in specific zones



Cross-Line Detection

Notifies you when passing set boundaries



Sound and Light Alarm

Trigger sounds and light as an alarm when motion is detected



Two-Way Audio

Enables communication through a built-in microphone and speaker



Easy Setup

Follow the in-app instructions to easily set up in minutes



Specifications

Camera

· Image Sensor: 1/3"

• Resolution: 2K QHD (2560 \times 1440 px)

Night Vision: 850 nm IR LED or 940 nm IR LED

· Lens: F/NO: 1.6±5%; Focal Length: 4mm±5%

· View Range: 360° Horizontal, 149° Vertical

Audio

· Audio Communication: two-way audio

Audio Input & Output: Built-in microphone and speaker

Video

· Video Compression: H.264

Frame Rate: 2560×1440@15fps

· Video Streaming: 2K QHD

· Audio Compression: G.711

Activity Notifications

- Input Trigger: Motion Detection, Person Detection, Line-Crossing Detection, Camera Tampering, Baby Crying Detection, Vehicle Detection, Pet Detection, Cat Meows Detection, Dog Bark Detection, Glass Break Detection
- Output Notification: Notification, Snapshot(Tapo Care), Clips(Tapo Care).

Network

· Wireless Protocols: IEEE 802.11b/g/n, 2.4 GHz

· Frequency: 2.4 GHz

Wireless Security: WPA/WPA2-PSK

Security: 128 bit AES encryption with SSL/TLS

 Protocol: TCP/IP, DHCP, ICMP, DNS, NTP, HTTPS, TCP, UDP, ONVIF



Specifications

Hardware

· Camera Button: Reset/ Privacy Button

· Camera Indicator LED: System LED

· Camera Adapter Input: 100-240V, 50/60Hz

· Camera Adapter Output: 12 V, 1.0A (DC Power)

 External Storage: microSD card slot [†](Supports up to 512 GB)

 Camera Dimensions (Lx W x H): 3.15 x 3.15 x 4.41in. (80*80*112mm)

Others

- · Certification: CE, RoHS, RCM, WEEE, EAC
- · Package Contents:

Tapo C225 Camera

DC Power Adapter

Quick Start Guide

Mounting Screws

Mounting Template

Camera Base

- Operating Temperature: $0^{\circ}\text{C} \sim 40^{\circ}\text{C} (32^{\circ}\text{F} \sim 104^{\circ}\text{F})$
- · Storage Temperature: -20 °C ~60 °C (-4°F~140°F)
- · Operating Humidity: 10%~90%RH, Non-condensing
- · Storage Humidity: 5%~90%RH, Non-condensing


Specifications are subject to change without notice. All brands and product names are trademarks or registered trademarks of their respective holders.

©2022 TP-Link

[†]microSD card needs to be purchased separately.
**Tapo Care needs to be subscribed separately.



Device Appearance



Note: Tilt the camera lens up to find the RESET button and the microSD card slot.