

14-in-1 Thunderbolt 4 Docking Station

DUF-E01

Key Features

- Enhance your at-home workforce with a USB docking station to take the multi-tasking capability of your workstation to a new level
- The Power Button switches on and off all the ports at once
- High-quality display outputs – HDMI 2.1, DP 1.4, and Thunderbolt 4 ports support screen extension or mirroring with triple display
- The aluminium alloy case combined with its detachable base improves heat dissipation
- The blazingly fast transfer speed of 40 Gbps¹ of the Thunderbolt port supports a wide range of accessories, including external storage and recording devices
- Charge your laptop with up to 60 W directly through the Thunderbolt 4 port
- The 3.5mm combo audio jack supports audio output and microphone input
- The Gigabit Ethernet provides high-speed, reliable wired connectivity
- The SD and microSD card slots comply with SD 3.0 to support SD cards with a capacity of up to 2 TB each



User Benefits



Maximised Work Productivity

The consolidated connectivity answers your demand of any kind of connectivity through a single Thunderbolt 4 port connection



Clutter-free Desk

The all-in-one docking station connects to a host of devices and accessories to ease data accessibility for seamless gaming and streaming experiences



Time Efficiency

Thunderbolt 4's exceptional bandwidth boosts productivity in video production and data-intensive workflows, effortlessly managing multiple projects across several monitors



Streamlined Workflow

The variety of the connectors makes it ideal for any workloads and optimal for multitasking in video editing or media streaming



Superior Multimedia Experience

Multiple displays provide immersive experience with 8K true-to-life visuals during content creation and gameplay



Space Efficiency

Stand upright and can be placed anywhere with the included base stand, delivering a cleaner desktop space



Fast Charging

Keep your devices fully charged with the simultaneous 60 W and 15 W power supplies while you work, eliminating downtime



Best Work-at-home Partner

This powerhouse of connectivity streamlines the connectivity of all your needs for business and personal uses, no matter your profession and work style

Technical Specifications

General

Device Interfaces ¹	Video Ports:
	<ul style="list-style-type: none"> 1 x HDMI 2.1 (7680x4320@30Hz) 1x DP 1.4 (7680x4320@30Hz) 1x Thunderbolt 4 (multi-functional connector)
	Network Port:
	<ul style="list-style-type: none"> 1 x RJ45 (10/100/1000 Base-T)
	USB & Thunderbolt Ports:
	<ul style="list-style-type: none"> Thunderbolt 4: 40 Gbps with 15 W (5 V @ 3 A) power output (multi-functional connector) 1x USB 3.1 Type-C (10 Gbps) 2x USB 3.1 Type-A (10 Gbps) 1x USB 3.0 Type-A (5 Gbps) 2 x USB 2.0 Type-A (480 Mbps)
Display Resolution ²	Memory Card Slots:
	<ul style="list-style-type: none"> SD & microSD card slots: UHS - II ; supports capacity range: 32 GB to 2 TB
	Audio Connector:
	<ul style="list-style-type: none"> 3.5mm combo audio jack: supports left/right channel and microphone
	Host Connector:
	<ul style="list-style-type: none"> Thunderbolt 4 (60 W): 40 Gbps with USB Power Delivery (PD 3.0) for fast charge of 60 W (compatible with USB4)
Requirements	HDMI 2.1: 8K (7680x4320@30Hz) for single display or 4K (3840 x2160@60Hz) for dual display and triple display
	DP 1.4: 8K (7680x4320@30Hz) for single display or 4K (3840x2160@60Hz) for dual display and triple display
	Thunderbolt 4: 8K (7680x4320@30Hz) for single display or 4K (3840x2160@60Hz) for dual display and triple display
	macOS, Windows 10, Windows 11, and Android
	Physical
	Power adapter 135 W (24 V / 5.63 A)
Dimensions	188 x 40 x 125 mm
	1.2 kg
	0 to 40 °C
	-20 to 65° C
	10% to 90% non-condensing
	5% to 95% non-condensing
Weight	FCC
	CE
	Package Contents
	14-in-1 Thunderbolt 4 Docking Station
	Thunderbolt 4 cable (50 cm)
	AC Adapter
DUF-E01	Quick Installation Guide
	Warranty Card

1. Backwards compatible with previous USB versions.

2. Resolutions based on DP 1.4 of the input signal of the connected device. If the input signal of the connected device is compatible with DP 1.2, only 4K (3840 x2160@60H) can be supported as the max resolution for all three video interfaces (i.e. USB Type-C, DP port 1 & 2) in single, dual, and triple display configuration.