



# USB Type-C to HDMI Adapter

---



1× HDMI  
4K@60Hz



Robust System  
Compatibility



Plug & Play


UA520C



# Highlights



Note: Make sure the USB-C port of your device supports video signal output (DP Alt Mode).



**HDMI**  
Ultra High-Definition  
Media Display



**Lightweight  
and Compact**



**Universal  
Compatibility**



**Scratch Resistant**  
Aluminum Alloy Case



**Durable Design**  
Braided Cable

# Specifications

## Hardware

- **Interface:**  
1× HDMI 4K@60Hz
- **Connector:**  
1× USB Type-C
- **USB-C Connector Input:**  
5V/0.2A
- **Plug & Play:**  
MacOS, Windows, iPadOS, iOS, Android, Linux OS, and Chrome OS



For more information, please visit  
[https://www.tp-link.com/products/details/?model=UA520C\\_V1](https://www.tp-link.com/products/details/?model=UA520C_V1)  
or scan the QR code left

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.  
Specifications are subject to change without notice. Other brands and product names are trademarks or registered trademarks of their respective holders.  
\*Port transmission specifications are the testing results conducted by TP-Link laboratory. Actual transfer rate is not guaranteed and will vary as a result of device conditions and environmental factors.  
©2024 TP-Link

## Physical

- **Dimension (W×D×H):**  
1.96 × 0.89 × 0.41 in (49.7 × 22.5 × 10.5 mm)
- **Package Contents:**  
1× UA520C  
1× Quick Installation Guide

## Others

- **Certification:** CE, FCC, RoHS, HDMI, BSMI
- **Environment:**  
Operating Temperature: 0°C~40°C (32°F~104°F)  
Operating Humidity: 10%~90% non-condensing  
Storage Humidity: 5%~90% non-condensing