

HyperDrive GEN2 12-Port USB-C Docking Station

For Windows PC, MacBook, & Chromebook

Product Sheet

SKU: HDG212B UPC: 817110016315 EAN: 6941921148287 MSRP: \$199.99

NEXT GEN CONNECTIVITY NEXT GEN PERFORMANCE

Meet the newest way we're maximizing any working professional's PC, Chromebook or MacBook, the HyperDrive GEN2 12-in-1 USB-C Docking Station. This powerful and minimalist USB-C Docking Station features driverless plug and play triple extended display support to deliver an incredibly versatile connectivity solution. Additionally, it features 12 integrated ports for all your connected devices or peripherals, and allows you to connect to extended displays with the flexibility of 2 HDMI ports or 2 DisplayPorts that can be used interchangeably.



Ports:

- + HDMI 4K 60Hz HDR x 2
- + DisplayPort++ 4K 60Hz HDRx 2
- + USB-C 10 Gbps x 2
- + USB-C PD 100W

- + USB-A 10 Gbps x 1
- + USB-A 480Mbps x 2
- + Gigabit Ethernet 10/100/1000 Mbps
- + 3.5mm Audio Combo Jack

Product Dimensions ($L \times W \times H$)

Weight:

• Dimensions: 106.68 x 88.9 x 42.93 mm 4.2 x 3.5 x 1.69 in • 462.1g | 16.30oz | 1.02lbs

Contact Hyper Sales Team for More Information: sales@hypershop.com

yperDrive GEN2 12-Port USB-C Docking Station

r Windows PC, MacBook, & Chromebook

Product Sheet

SKU: HDG212B UPC: 817110016315 EAN: 6941921148287 MSRP: \$199.99



3

ole Extended Display Support

ly connect up to 3 external displays the flexibility of 2 HDMI and 2 DP is. Triple extended display only ported on Windows and devices that port MST. Not supported for Mac OS.





Use HDMI Or DisplayPort


You choose how you want to connect with 2 HDMI ports or 2 DisplayPorts that can be used interchangeably.





High-Speed USB

Blazing fast 2nd generation USB-A 3.2 10Gbps and USB-C 3.2 10Gbps with 2X faster transfer speed than our 1st generation hubs.





Driverless Plug & Play

Driverless plug & play capability allows for easy installation and deployment.





85W PD Passthrough Charging

Quickly charge a high capacity laptop battery with 85W watts of power when connected to an external Power Delivery charge.





Fast & Reliable Gigabit Ethernet

Get the most reliable and fastest internet connection for work, play, and video conferencing.



HyperDrive GEN2 12-Port USB-C Docking Station

For Windows PC, MacBook, & Chromebook

Technical Specifications

SKU: HDG212B UPC: 817110016315 EAN: 6941921148287 MSRP: \$199.99

Product Compatibility

Windows PC, MacBook, Chromebook

*Extended display video requires USB-C host to support DP Alt mode. Dual & Triple extended displays are not supported on Mac OS as MacOS supports ST (Single Stream Transport)

System Requirements

MacOS, Windows 7, Windows 8, Windows 10, ChromeOS

USB Interface (All Ports)

- HDMI 4K 60Hz HDR x 2
- DisplayPort++ 4K 60Hz HDRx 2
- USB-C 10 Gbps x 2
- USB-C PD 100W
- USB-A 10 Gbps x 1

- USB-A 480Mbps x 2
- Gigabit Ethernet
 10/100/1000 Mbps
- 3.5mm Audio Combo Jack

Host Connectivity

 USB-C (MAX 85W PD charging, USB 3.2 Gen 2 data, DP alt mode)

Video Connections

- 1 extended display (1 × 4K 60Hz)
- 2 extended displays (2x 4K 30Hz)
- 3 extended displays (2x 4K 30Hz, 1x 1080P)
- *Dual & Triple extended displays are not supported as MacOS supports ST (Single Stream Transport)

Audio Connections

• 3.5mm Audio Combo Jack (Speaker & Microphone)

Network Connections

• Gigabit Ethernet (RJ45, 10/100/1000 Mbps)

Material Specifications

• Precision milled aluminum enclosure



Packaging Content

- GEN2 12-Port USB-C Docking Station
- 2M 100W USB-C to USB-C Charging Cable
- User Manual

Packaging Dimensions (WxLxH) | Weight

- Dimensions: 5.71 x 1.97 x 5.23 in
- Weight: 1.14 lbs

GEN2 12-Port USB-C Docking Station

Product Dimensions (WxLxH) | Weight

- Dimensions: 106.68 x 88.90 x 42.93 mm 4.20 x 3.50 x 1.69 in
- Weight: 480.8g | 16.96oz | 1.06lbs

Master Carton Dimensions (W x L x H) | Weight

- Carton QTY: 20
- Dimensions: 13.39 x 11.81 x 11.42 in
- Weight: 28.37 lbs

Country Of Origin

China / Vietnam

Warranty

2 Year (Minimum) Limited Warranty

Certification & Compliance

CE, UKCA, PAHs, RoHS, REACH, WEEE, FCC, ICES, SOR, Prop65, TSCA, RCM